dentity # 01878 Name HEAVY DUTY DEGREASER ection 1 lanufacture's Name - Genlabs (Formerly General Chemical Corp.) ddress - 5568 Schaefer Ave. Emergency Phone (Chemtrec) 1-(800)-424-9300 ity - Chino State - CA Phone - (909) 591-8451 Contact Person - Robert Munion ate Prepared 2/6/02 ection 2 - Hazardous Ingredients/Identity Information	NO.0362 P. 1/2
dentity # 01878 Name NEAVY DUTY DEGREASER ection 1 Ianufacture's Name - Geniabs (Formerly General Chemical Corp.) ddress - 5668 Schaefer Ave. Emergency Phone - (909) 591-8451 Contact Person - Robert Monion ate Prepared 2/6/02 action 2 - Hazardous Ingredients/Identity Information Hazardous Components CAS# OSHA PEL ACGIH TLV Weight Butoxy Ethanol * 111762 25PPM 25PPM 25PPM Butoxy Ethanol * 111762 25PPM 25PPM Butoxy Ethanol * 111762 25PPM 25PPM Butoxy Ethanol * 111762 25PPM 25PPM Content 102 g/L ftion 3 - Physical/Chemical Characteristics Melting Point > 1.041 Grop Density - Not Tested Melting Point - Not Tested Evaporation Rate - Not Tested Dor Density - Not Tested Weiting Point - Not Tested Evaporation Rate - Not Tested Mond - Fire and Explosion Hazard Data h Point None Flammable Limits - Not Tested Not Tested UEL Not Tested UEL Not Tested 0 Molt - Fire and Explosion Hazard Set NONE Alazard Rating H F R R A Hazard Rating - H F R S HMIS H	1878
ection 1 Ianufacture's Name - Genlabs (Formerly General Chemical Corp.) ddress - 5568 Schaefer Ave. Emergency Phone (Chemitrec) 1-(800)-424-9300 ity - Chino State - CA Phone - (909) 591-8451 Contact Person - Robert Munion ate Prepared 2/6/02 ection 2 - Hazardous Ingredients/Identity Information Hazardous Components CAS# OSHA PEL ACGIH TLV Weigh Butoxy Ethanol * 111762 25PPM 25PPM ddium Silicate 6834920 15MG/M3 10MG/M te: *A SARA 313 Chemical C Content 102 g/L Ation 3 - Physical/Chemical Characteristics Ising Point >212 F Specific Gravity 1.041 Melting Point - Not Tested for Density - Not Tested or Density - Not Tested toor 4 - Fire and Explosion Hazard Data h Point None Flammable Limits - Not Tested 11.5-13.0 / DOT# NONE A Hazard Rating - H F R S HMIS Hazard Rating H F R east, 4 - Extreme 2 0 0 0 2 0 0 regulating Procedure NONE Hazard Explosion Hazards - NONE	3 No. 1218-0072
lanufacture's Name - Genlabs (Formerly General Chemical Corp.) ddress - 5668 Schaefer Ave. Emergency Phone (Chemitrec) 1-(800)-424-9300 ity - Chino State - CA Phone - (909) 591-461 Contact Person - Robert Munion ate Prepared 2/6/02 action 2 - Hazardous Ingredients/Identity Information Hazardous Components CAS# OSHA PEL ACGIH TLV Weigh Butoxy Ethanol * 111762 25PPM 25PPM Butoxy Ethanol * 111762 25PPM 25PPM ddium Silicate 6834920 15MG/M3 10MG/M te: * A SARA 313 Chemical C Content 102 g/L trion 3 - Physical/Chemical Characteristics ling Point >212 F Sor Pressure - Not Tested or Density - Not Tested Diffy In Water 100% tearance and Odor - BLUE, SOLVENT ODOR tion 4 - Fire and Explosion Hazard Data th Point None Flammable Limits - Not Tested 11.5-13.0 / DOT# NONE A Hazard Rating - H F R S HMIS Hazard Rating H F R east, 4 - Extreme) 2 0 0 0 2 0 0 nguishing Media None cial Fire Fighting Procedure NONE Hazard Rating - H F R S HMIS Hazard Rating H F R east, 4 - Extreme) 2 0 0 0 0 2 0 0	
section 2 - Hazardous Ingredients/Identity Information Mazardous Components CAS# OSHA PEL ACGIH TLV Weight Butoxy Ethanol * 111762 25PPM 25PPM adium Silicate 6834920 15MG/M3 10MG/M ter: * A SARA 313 Chemical * * * C Content 102 g/L * * * * trion 3 - Physical/Chemical Characteristics Specific Gravity- 1.041 * * for Pressure - Not Tested Melting Point - Not Tested * * or Pressure - Not Tested Melting Point - Not Tested * * ubility In Water 100% * * * * * earance and Odor - BLUE, SOLVENT ODOR * * Not Tested * * * * * * * * * * Not Tested <	
Hazardous Components CAS# OSHA PEL ACGIH TLV Weight Butoxy Ethanol * 111762 25PPM 25PPM 25PPM Butoxy Ethanol * 6834920 15MG/M3 10MG/M Adium Silicate 6834920 15MG/M3 10MG/M tex * A SARA 313 Chemical 5MG/M3 10MG/M C Content- 102 g/L g/L tion 3 - Physical/Chemical Characteristics Specific Gravity- 1.041 for Pressure - Not Tested Specific Gravity- 1.041 weight water 100% Melting Point - Not Tested Evaporation Rate - Not Tested wor Density - Not Tested UEL Not Tested UEL Not Tested wh Point None Fiammable Limits - Not Tested DOT# NONE A Hazard Rating - H F R S HMIS Hazard Rating H F R east, 4- Extreme) 2 0 0 weight dia None 2 0 0 2 0 0 weight dia Fire and Explosion Hazards - NONE Hulls Hazard Rating H F R R a 0 0 0 0	
Butoxy Ethanol * 111762 25PPM 25PPM adium Silicate 6834920 15MG/M3 10MG/M te: * A SARA 313 Chemical C Content 102 g/L trion 3 - Physical/Chemical Characteristics ling Point >212 F Specific Gravity- 1.041 xor Pressure - Not Tested Melting Point - Not Tested xor Pressure - Not Tested Specific Gravity- 1.041 worth and the filter of the steed Welting Point - Not Tested worth and Color BLUE, SOLVENT ODOR tion 4 - Fire and Explosion Hazard Data Hort Tested th Point None Flammable Limits - Not Tested Not Tested UEL 115-13.0 DOT# A Hazard Rating - H F east, 4 Extreme) 2 0 0 nguishing Media None clal Fire and Explosion Hazards - NONE	
billium Silicate 6834920 15M/G/M3 10M/G/M te: * A SARA 313 Chemical C Content- 102 g/L trion 3 - Physical/Chemical Characteristics ling Point >212 F xor Pressure - Not Tested x	ht% (Optional)
C Content 102 g/L Attor 3 - Physical/Chemical Characteristics Specific Gravity 1.041 King Point >212 F Specific Gravity 1.041 Kor Pressure - Not Tested Melting Point - Not Tested Kor Density - Not Tested Specific Gravity 1.041 Molity In Water 100% Melting Point - Not Tested Weilty In Water 100% Flammable Limits - Not Tested Weilty In Water 100% Flammable Limits - Not Tested More 115-13.0 Intelline None A Hazard Rating H F R S HMIS Hazard Rating H F R A Hazard Rating H F R S HMIS Hazard Rating H F R Mater 1000 0 2 Mater 100 Intelline Procedure NONE	
A Point None Flammable Limits - Not Tested • Not Tested UEL- Not Tested 11.5-13.0 0 DOT# NONE A Hazard Rating - H F R S HMIS Hazard Rating H F R A Hazard Rating - H F R S HMIS Hazard Rating H F R A Hazard Rating - H F R S HMIS Hazard Rating H F R Least, 4- Extreme) 2 0 0 2 0 0 Inguishing Media None Etal Fire FightIng Procedure NONE NONE Hazards- NONE Hazards- NONE	ł
- Not Tested 11.5-13.0 A Hazard Rating - H F R S HMIS Hazard Rating H F R Least, 4- Extreme) 2 0 0 0 2 0 0 nguishing Media None cial Fire Fighting Procedure NONE Isual Fire and Explosion Hazards- NONE	
11.5-13.0 intervention 11.5-13.0 intervention A Hazard Rating H F R S HMIS Hazard Rating H F R S Missing Media None Clair Fire Fighting Procedure NONE	54
A Hazard Rating - H F R S HMIS Hazard Rating H F R Least, 4- Extreme) 2 0 0 0 0 2 0 0 nguishing Media None clai Fire FightIng Procedure _{NONE} Isual Fire and Explosion Hazards- NONE	
nguishing Media None cial Fire Fighting Procedure _{NONE} Isual Fire and Explosion Hazards- NONE	
cial Fire Fighting Procedure _{NONE} Isual Fire and Explosion Hazards- NONE	
usual Fire and Explosion Hazards- NONE	
on 5 · Reactivity Data	
-	
ility - Stable Iftions to Avoid - None	
mpatible Materials to Avoid- Strong Oxidizers	

Hazardous Decomposition or Byproducts- CO, CO2 Hazardous Polymerization- NONE

Conditions to Avoid- None

Section 6 - Health Hazard Data

Routes of Entry Inhalation? - Possible Skin? - Possible Ingestion? - Possible Health Hazards - Same as Signs and Symptoms of Exposures Note - All Chemicals in this Product are Found on the TSCA Inventory List. OSHA Carcinogenicity? - None; NTP? - None; IARC Monographs? - None.

01878

Signs and symptons of over exposure:

Eyes - Burning Sensation

Skin- Irritant

Ingestion Irritant, NAUSEA

Inhalation Dizziness, Headaches, Irritation

Medical Conditions Generally Aggraved by Exposure - Same as Signs and Symptoms of Over Exposure.

Emergency and First Aid Procedures

Eyes - Flush With Water For 15 Minutes. If Irritation Persists, Call Physician.

Skin- Wash Off With Soap & Water

Ingestion Drink Large Amounts of Water, Call Physician

Inhalation Get Person to Fresh Air If Unconscious, Call Physician

Section 7 - Precautions For Safe Handling and Use.

Steps to be taken in case material is released or spilled - Soak up with inert, absorbant material. Scoop up and place in a proper waste disposal container.

Waste Disposal Method - Dispose of in accordinance with state and local regulations. Precautions To Be Taken In Handling and Storing - Store in a cool, dry place, out of direct sunlight. Do not freeze, less than or equal to 32 F, or heat above 110 F.

Other Precautions - Keep out of reach of children. Follow directions on the container for proper use of this Section 8 - Control Measures

Respiratory Protection - Open all doors and windows. "If" there is an exposure, and it is above the TLV or PEL, a NIOSH approved respirator equipped for the exposure or suitable respiratory protection per 29 CRF 1910.134, is required.

Ventilation Local Exhaust If Available Special - None Mechanical - If Available Other - None

Protective Gloves Plastic or Rubber, Chemical Resistant

Eye Protection- Glasses, Goggles

Other Protective Clothing or Equipment- None

Work Hygenic Practices - Use common sense and care around chemicals. Never mix chemicals. Consult your supervisor for other practices. All practices depend on your specific business. Directions for use are normally found on label which will dictate engineering and control measures.

Other Special Requirement

Note: Genlabs believes the data set forth are accurate, Genlabs makes no warranty with respects thereto and disclaims all flability for reliance thereon. Such data are offered solely for consideration, investigation and verification. Also, the data set forth is for the concentrated finished product. All lab samples are for experimental purposes only and used at the customers discretion

2

Genlabs	OSHA's Hazard	Safety Data Sheet Communication Standard partment of Labor	GEN-2057	PR .	•
29 CFR 1910.1200			OMB No. 1218-0072		-
Identity # 02057	Name OVE	IN CLEANER		• .	
Section 1 Manufacture's Name - Genlabs Address - 5568 Schaefer Ave. City - Chino State	Emergency Phone				
Date Prepared- 12/7/98					
Section 2 - Hazardous Ingredients/k	tentity Information		•		
Hazardous Components	CAS# OSI	IA PEL ACGIH TLV	Weight%		
2-Butoxy Ethanol * Potassium Hydroxide * 2-Amino-Ethanol		500m 2500m Ia/m3 2ma/m3 m 300m			
Note: * A SARA 313 Chem	ical				ţ.
VOC Content- 58.0 g/L				• .	م مربع میں
Section 3 - Physical/Chemical Chara	cteristics				2
Boiling Point- >212 F Vapor Pressure - Not Tested Vapor Density - Not Tested		Specific Gravity- 1.16 Metting Point - Not Tes Evaporation Rate - Not	sted		
Solubility In Water- 100% Appearance and Odor AMBER, SC	OLVENT ODOR				
Section 4 - Fire and Explosion Hazan	d Data				
Flash Point- None		ammable Limits - Not Tes	led		
LEL- Not Tested		EL- Not Tested			
pH- 13-14	D	ot# NA1760			
NFPA Hazard Rating - H F (O-Least, 4-Extreme) 3 0	R \$ 0 0		· · ·		
Extinguishing Media- None					
Special Fire Fighting Procedures- N	ONE				
Unusual Fire and Explosion Hazards	- NONE				
Section 5 - Reactivity Data		••			
Stability - Stable Conditions to Avoid - None					
Incompatible Materials to Avoid-	Strong Oxidizers, ACI	DIC MATERIALS, ALUMI	NUM		•
Hazardous Decompisition or Byprod					
Hazardous Polymerization- NONE	2				
Conditions to Avoid- None					

_ _.

Health Hazard Data

Routes of Entry Inhalation? - Possible Skin? - Possible Ingestion? - Possible Health Hazards - Same as Signs and Symptoms of Exposures Note - All Chemicals Incorporated into this Product are Found on the TSCA Inventory List. OSHA Carcinogenicity? - None; NTP? - None; IARC Monographs? - None.

02057

Eyes - Burning Sensation -SEVERE

Skin- Severe Irritation

Ingestion-Burning Irritation

Inhilation- Dizziness, Headaches, Initation

Medical Conditions Generally Aggraved by Exposure - Same as Signs and Symptoms of Over Exposure.

Emergency and First Aid Procedures

Eyes - Flush With Water For 15 Minutes. If Imitation Persists, Call Physician.

Skin- Wash Off With Soap & Water, Clean Underneath Fingemails, If Imitation Persists, Call Physician

Ingestion- Drink Large Amounts of Water, Call Physician

Inhalation- Get Person to Fresh Air If Unconscious, Call Physician

Section 7 - Precautions For Safe Handling and Use. Steps to be taken in case material is released or spilled - Soak up with inert, absorbant material. Scoop up and place in a proper waste disposal container.

Waste Disposal Method - Dispose of in accordinance with state and local regulations. Precautions To Be Taken In Handling and Storing - Store in a cool, dry place, out of direct sunlight. Do not freeze or heat above 110 F.

Other Precautions - Keep out of reach of children. Follow directions on the container for proper use of this product.

Section 8 - Control Measures Respiratory Protection - Open all doors and windows. If exposure is above TLV or PEL, a NIOSH approved respirator equipped for the exposure or suitable respiratory protection per 29 CRF 1910.134, is required. Ventilation Local Exhaust - If Available Special - None Mechanical - If Available Other - None

Protective Gloves- Plastic or Rubber, Chemical Resistant

Eve Protection- Glasses, Goggles

Other Protective Clothing or Equipment- Chemical Resistant Clothing

Work Hygenic Practices - Use common sense and care around chemicals. Never mix chemicals. Consult your supervisor for other practices. All practices depend on your specific business. Directions for use are normally found on label which will dictate engineering and control measures.

Other Special Requirements

Section 6 - Health Hazard Data

Routes of Entry Inhalation? - Possible Skin? - Possible Ingestion? - Possible Health Hazards - Same as Signs and Symptoms of Exposures Note - All Chemicals Incorporated into this Product are Found on the TSCA Inventory List.

03822

Signs and symptons of over exposure:

Eyes - Burning Sensation

Skin- Not Expected to be a Problem

Ingestion May cause nausea

Inhalation Not Expected to be a Problem

Medical Conditions Generally Aggraved by Exposure - Same as Signs and Symptoms of Over Exposure.

Emergency and First Aid Procedures

Eyes - Flush With Water For 15 Minutes. If Irritation Persists, Call Physician.

Skin- Wash Off With Soap & Water

Ingestion Drink Large Amounts of Water, Call Physician

Inhalation See Above

Section 7 - Precautions For Safe Handling and Use. Steps to be taken in case material is released or spilled - Soak up with inert, absorbant material. Scoop up and place in a proper waste disposal container.

Waste Disposal Method - Dispose of in accordinance with state and local regulations. Precautions To Be Taken In Handling and Storing - Store in a cool, dry place, out of direct sunlight. Do not freeze, less than or equal to 32 F, or heat above 110 F.

Other Precautions - Keep out of reach of children. Follow directions on the container for proper use of this

Section 8 - Control Measures Respiratory Protection - Open all doors and windows. "If" there is an exposure, and it is above the TLV or PEL, a NIOSH approved respirator equipped for the exposure or suitable respiratory protection per 29 CRF 1910.134, is required.

Ventilation	Local Exhaust - If Available	Special - None
	Mechanical - If Available	Other - None

Protective Gloves None

Eye Protection- None

Other Protective Clothing or Equipment- None

Work Hygenic Practices - Use common sense and care around chemicals. Never mix chemicals. Consult your supervisor for other practices. All practices depend on your specific business. Directions for use are normally found on label which will dictate engineering and control measures.

Other Special Requirement

Note: Genlabs believes the data set forth are accurate, Genlabs makes no warranty with respects thereto and disclaims all liability for reliance thereon. Such data are offered solely for consideration, investigation and verification. Also, the data set forth is for the concentrated finished product. All lab samples are for experimental purposes only and used at the customers discretion