

MATERIAL SAFETY DATA SHEET

This MSDS complies with OSHA'S Hazard Communication Standard 29 CFR 1910.1200 and OSHA Form 174

IDENTITY AND DISTRIBUTOR'S INFORMATION						
NFPA Rating: Health-1; Flammability-2; Reactivity-0; Special- -			HMIS Rating: Health-1; Flammability-2; Reactivity-0; Personal Protection-B			
Manufactured For: UNISOURCE WORLDWIDE, INC. Address: 6600 Governors Lake Pkwy Norcross, Ga. 30071			DOT Hazard Classification: FLAMMABLE LIQUID, N.O.S. 3 (When inner container is 1 gallon or smaller: CONSUMER COMMODITY, ORM-D) Identity (trade name as used on label): ALLSTAR GUM SOLV (U17801, U17852)			
Phone: 800-UNISOURCE			MSDS Number: B00180 Revision - 2			
Emergency Response Number: 1-888-660-6737			Date Prepared: 7/01/02 Prepared By: IB			
NOTICE: JUDGEMENT BASED ON INDIRECT TEST DATA			Information Calls: (770)422-2071			
SECTION 1 - MATERIAL IDENTIFICATION AND INFORMATION						
COMPONENTS-CHEMICAL NAMES AND COMMON NAMES (Hazardous Components 1% or greater; Carcinogens 0.1% or greater)		CAS Number	SARA III LIST	OSHA PEL (ppm)	ACGIH TLV (ppm)	Carcinogen Ref. Source **
MONOCYCLIC TERPENE		5989-27-5	No	N/E	N/E	d
SECTION 2 - PHYSICAL/CHEMICAL CHARACTERISTICS						
Boiling Point: < 212°F			Specific Gravity (H2O=1): 0.86			
Vapor Pressure: PSIG @ 70°F (Aerosols): N/A			Vapor Pressure (Non-Aerosols)(mm Hg and Temperature): <17 mm Hg @20°F			
Vapor Density (Air = 1): not determined			Evaporation Rate (water = 1): <1			
Solubility in Water: emulsifies			Water Reactive: No			
Appearance and Odor: Clear, yellow liquid with citrus odor.						
SECTION 3 - FIRE AND EXPLOSION HAZARD DATA						
FLAMMABILITY as per USA FLAME PROJECTION TEST (aerosols) N/A		Auto Ignition Temperature N/A		Flammability Limits in Air by % in Volume: % LEL: NE % UEL: NE		
FLASH POINT AND METHOD USED (non-aerosols): 115°F (TCC)			EXTINGUISHER MEDIA: Water spray or fog, foam, dry chemical or CO2. Do not use direct water stream.			
SPECIAL FIRE FIGHTING PROCEDURES: Use water fog to cool containers to prevent rupturing.						
Unusual Fire & Explosion Hazards: None known.						
SECTION 4 - REACTIVITY HAZARD DATA						
STABILITY [X] STABLE [] UNSTABLE			HAZARDOUS POLYMERIZATION [X] MAY [] WILL NOT OCCUR			
Incompatibility (Mat. to avoid): Strong oxidizing agents and strong acids.			Conditions to Avoid: Do not mix with acids. Do not allow contact with sulfur containing materials. Avoid polymerization catalysts such as aluminum chloride.			
Hazardous Decomposition Products: CO, CO2 and oxides of sulfur and nitrogen.						
SECTION 5 - HEALTH HAZARD DATA						
PRIMARY ROUTES OF ENTRY: [] INHALATION [] INGESTION [X] SKIN ABSORPTION [X] EYE [] NOT HAZARDOUS						
ACUTE EFFECTS						
Inhalation: Can cause headache, dizziness.						
Eye Contact: Irritating			Skin Contact: Can cause skin defatting.			
Ingestion: Gastrointestinal irritation, nausea. Chemical pneumonitis if aspirated into lungs.						
CHRONIC EFFECTS: None known. Note: Prolonged and repeated exposure has resulted temporary reduction of sensory perception by surface numbing of skin in some individuals.						
Medical Conditions Generally Aggravated by Exposure: Pre-existing dermatitis.						
EMERGENCY FIRST AID PROCEDURES						
Eye Contact: Flush with cool water for 15 minutes. If irritation persists, get medical attention.						
Skin Contact: Wash with soap and water for 15 minutes. If irritation develops and persists, get medical attention.						
Inhalation: Remove to fresh air.						
Ingestion: DO NOT INDUCE VOMITING. Drink large volume of milk or water. Get immediate medical attention.						
SECTION 6 - CONTROL AND PROTECTIVE MEASURES						
Respiratory Protection (specify type): Not normally required. If vapor level becomes high, use respirator approved by NIOSH for organic vapors.						
Protective Gloves: Chemical resistant.			Eye Protection: Safety glasses (or splash goggles if appropriate for application.)			
Ventilation Requirements: Local exhaust should be adequate.						
Other Protective Clothing & Equipment: Usually not needed.						
Hygienic Work Practices: Do not eat, drink or smoke in work area. Wash hands after handling.						
SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE						
Steps To Be Taken If Material Is Spilled Or Released: Absorb on inert material & collect in suitable containers for disposal. Spills may be diluted 1:50 with water & washed down sanitary sewers.						
Waste Disposal Methods: Dispose of in accordance with all local, state and federal regulations.						
Precautions To Be Taken in Handling & Storage: Store in original shipping containers. Do not store near heat, sparks or open flame. Keep closed when not in use. Protect from extreme heat and cold.						
Other Precautions &/or Special Hazards: KEEP OUT OF REACH OF CHILDREN. Read & follow label directions. Do not allow fish or other wildlife to be directly exposed to undiluted product. Dilute 1:50 or more with water before flushing to fish bearing waterways.						

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind.

** Chemical Listed as Carcinogen or Potential Carcinogen. [a] NTP [b] IARC Monograph [c] OSHA [d] Not Listed [e] Animal Data Only