

## SAFETY DATA SHEET.

Issuing date 07-Jul-2016 Revision Date 07-Jul-2016 Version 2

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name 80-696 FOOD GRADE SILICONE

Recommended use of the chemical

and restrictions on use

Product code F00485

Product Type Extremely flammable aerosol

Synonyms None

Supplier's details

Recommended Use Dry lubricant.

Uses advised against No information available

Manufactured For: Kimball Midwest 4800 Roberts Rd. Columbus, OH 43228

Emergency telephone number

Chemical Emergency Phone Chemtrec 1-800-424-9300

Number

Company Emergency Phone 1-800-233-1294

Number

## 2. HAZARDS IDENTIFICATION

#### Classification

Skin corrosion/irritation	Category 2
Reproductive Toxicity	Category 2
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 2
Aspiration toxicity	Category 1
Flammable aerosols	Category 1
Gases under pressure	Compressed Gas

# GHS Label elements, including precautionary statements

#### **Emergency Overview**

#### DANGER

#### Hazard Statements

Causes skin irritation

Suspected of damaging fertility or the unborn child

May cause respiratory irritation. May cause drowsiness or dizziness

May cause damage to organs (Central Nervous System, Peripheral Nervous System, Eyes, Kidney, Liver, Respiratory System and Skin) through prolonged or repeated exposure.

May be fatal if swallowed and enters airways

Extremely flammable aerosol

Contains gas under pressure; may explode if heated



Appearance Clear Physical state Aerosol Odor Solvent

## **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

Wash face, hands and any exposed skin thoroughly after handling

Do not breathe dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Do not spray on an open flame or other ignition source

Pressurized container: Do not pierce or burn, even after use

## **Precautionary Statements - Response**

If exposed or concerned: Get medical advice/attention

Specific treatment (see first aid on this label)

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER or doctor/physician if you feel unwell

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Do NOT induce vomiting

Revision Date 07-Jul-2016

**Precautionary Statements - Storage** 

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

**Precautionary Statements - Disposal** 

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None

Other information

0% of the mixture consists of ingredient(s) of unknown toxicity

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS # 110-54-3, HEXANE, MAY BE SUBSTITUTED FOR CAS # 64742-49-0, COMMERCIAL HEXANES.

Chemical Name	CAS-No	Weight %*
PROPANE/ISOBUTANE/N-BUTANE	68476-86-8	45-55
HEXANE	110-54-3	40-50
DIMETHYL POLYSILOXANE	63148-62-9	1-10

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

## First aid measures for different exposure routes

General advice Under normal conditions of intended use, this product does not pose a risk to health .

Excessive exposure may result in eye, skin, or respiratory irritation.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Seek

immediate medical attention/advice.

**Skin contact** Wash off immediately with soap and plenty of water . Remove and wash contaminated

clothing before re-use. Get medical attention immediately if symptoms occur.

**Inhalation** Move to fresh air. If not breathing, give artificial respiration. If breathing has stopped,

contact emergency medical services immediately.

**Ingestion** Do NOT induce vomiting. Call a physician or Poison Control Center immediately. Never

give anything by mouth to an unconscious person. Risk of product entering the lungs on

vomiting after ingestion.

Most important symptoms/effects, acute and delayed

Main Symptoms Causes skin irritation. Suspected of damaging fertility or the unborn child. May cause

respiratory irritation. May cause drowsiness or dizziness. May cause damage to organs through prolonged or repeated exposure. May be fatal if swallowed and enters airways.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

water fog. Dry chemical. Foam. Carbon dioxide (CO2). Cool containers / tanks with water spray. Water fog. Dry chemical. Carbon dioxide (CO2). Cool containers/tanks with water spray.

**Unsuitable Extinguishing Media** Do not use a solid water stream as it may scatter and spread fire. Keep away from heat and sources of ignition. Cool containers / tanks with water spray.

#### Specific hazards arising from the chemical

Keep product and empty container away from heat and sources of ignition. Extremely flammable/Flammable. Keep product and empty container away from heat and sources of ignition. No smoking. Cool containers /tanks with water spray. In the event of fire and/or explosion do not breathe fumes. In the event of fire, cool tanks with water spray.

## **Explosion Data**

Sensitivity to Mechanical Impact none. Sensitivity to Static Discharge Yes.

## **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Use shielding to protect fire-fighters from bursting containers. In the event of fire and/or explosion do not breathe fumes.

## 6. ACCIDENTAL RELEASE MEASURES

## Personal precautions, protective equipment and emergency procedures

**Environmental precautions** 

Environmental precautions Report spills as required by local and federal regulations. Vapors can accumulate in low

areas.

## Methods and materials for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Contain liquid and collect with an inter,non-combustible material.

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes and clothing. Avoid inhaling vapors or mists. Contents under

pressure. Do not puncture or incinerate cans. Do not stick pin or any other sharp object into opening on top of can. Use with adequate ventilation. Keep container away from heat, flames,and all other sources of ignition. Keep can away from all sources of electricity such

as electric motors and batteries. Do not spray on hot surfaces.

#### Conditions for safe storage, including any incompatibilities

**Technical measures/Storage** 

conditions

Keep containers tightly closed in a cool, well-ventilated place.

**Incompatible products** Store away from strong acids, alkalis, or oxidizing agents.

Aerosol Level 3

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

**Exposure Guidelines** 

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH	
PROPANE/ISOBUTANE/N-BUTANE	74-98-6: TWA: 1000 ppm	74-98-6:TWA: 1000 ppm	74-98-6:IDLH: 2100 ppm	
68476-86-8	106-97-8: STEL: 1000 ppm	TWA: 1800 mg/m <sup>3</sup>	TWA: 1000 ppm	
	75-28-5: STEL: 1000 ppm	(vacated) TWA: 1000 ppm	TWA: 1800 mg/m <sup>3</sup>	
		(vacated) TWA: 1800 mg/m <sup>3</sup>	106-97-8:TWA: 800 ppm	
		106-97-8: (vacated) TWA: 800	TWA: 1900 mg/m <sup>3</sup>	
		ppm	75-28-5:TWA: 800 ppm	
		(vacated) TWA: 1900 mg/m <sup>3</sup>	TWA: 1900 mg/m <sup>3</sup>	
HEXANE	TWA: 50 ppm	TWA: 500 ppm	IDLH: 1100 ppm	
110-54-3	Skin - potential significant	TWA: 1800 mg/m <sup>3</sup>	TWA: 50 ppm	
	contribution to overall exposure	(vacated) TWA: 50 ppm	TWA: 180 mg/m <sup>3</sup>	
	by the cutaneous route	(vacated) TWA: 180 mg/m <sup>3</sup>	_	

ACGIH: (American Conference of Governmental Industrial Hygienists)

OSHA: (Occupational Safety & Health Administration) NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

**Exposure controls** 

Engineering Measures Ventilation systems. Use adequate ventilation to keep the exposure levels below the OELs.

Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Safety glasses with side-shields.

**Skin and body protection** Chemical resistant apron. Protective gloves.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

**Hygiene measures** Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## Physical and chemical properties

Physical state Aerosol

Appearance Clear Odor Solvent

Color colorless Odor Threshold

Property Values Remarks • Methods

pH No information available
Melting/freezing point No information available
Boiling point/boiling range No information available
Flash Point -91 °C / -132 °F

Flash Point -91 °C / -132 °F Based on propellant Evaporation rate No information available

Flammability (solid, gas)

No information available

Flammability Limits in Air

upper flammability limitNo information availablelower flammability limitNo information availableVapor pressureNo information availableVapor densityNo information available

Specific Gravity 0.641

Water solubility Practically insoluble

Partition coefficient: n-octanol/water

F00485 - 80-696 FOOD GRADE SILICONE

Revision Date 07-Jul-2016

**Autoignition temperature** 

**Decomposition temperature** 

**Viscosity** 

No information available

No information available

Other information

**Explosive properties** 

VOC Content(%) 95

## 10. STABILITY AND REACTIVITY

Not applicable

#### Reactivity

Stable under recommended storage conditions

#### **Chemical stability**

Stable under recommended storage conditions.

## Possibility of hazardous reactions

None under normal processing.

#### **Conditions to Avoid**

Extremes of temperature and direct sunlight.

#### **Incompatible Materials**

Store away from strong acids, alkalis, or oxidizing agents.

## **Hazardous Decomposition Products**

Carbon oxides. Fumes. Hydrocarbons.

## 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Product does not present an acute toxicity hazard based on known information **Product Information** 

Inhalation Exposure to high vapour concentrations may cause nervous systems effects such as

headache, nausea, and dizziness.

Eye contact May cause slight eye irritation.

Skin contact Causes skin irritation.

Not acutely toxic. Aspiration into the lungs during swallowing may cause serious lung Ingestion

damage which may be fatal.

**Component Information** 

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
HEXANE	= 25 g/kg (Rat)	= 3000 mg/kg ( Rabbit )	= 48000 ppm (Rat) 4 h
110-54-3			

## Information on toxicological effects

**Symptoms** Causes skin irritation. Suspected of damaging fertility or the unborn child. May cause

drowsiness or dizziness. May cause damage to organs through prolonged or repeated

exposure. May be fatal if swallowed and enters airways.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation irritating to skin. Eye damage/irritation May cause eve irritation.

Irritation May cause skin, eye and respiratory irritation.

#### F00485 - 80-696 FOOD GRADE SILICONE

Revision Date 07-Jul-2016

Sensitization None known. **Germ Cell Mutagenicity** None known.

Carcinogenicity There are no known carcinogenic chemicals in this product.

ACGIH: (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC: (International Agency for Research on Cancer) Group 3 - Not Classifiable as to Carcinogenicity in Humans

Group 2B - Possibly Carcinogenic to Humans

Reproductive toxicity Product is or contains a chemical which is a known or suspected reproductive hazard.

Specific target organ systemic toxicity (single exposure)

May cause respiratory irritation. May cause drowsiness and dizziness.

Specific target organ systemic toxicity (repeated exposure) **Chronic toxicity** 

May cause damage to organs through prolonged or repeated exposure.

Chronic hydrocarbon abuse has been associated with irregular heart rhythms and potential cardiac arrest. Prolonged skin contact may defat the skin and produce dermatitis. May cause adverse liver effects. Intentional misuse by deliberately concentrating and inhaling

contents may be harmful or fatal.

Central Nervous System (CNS), Eyes, Peripheral Nervous System (PNS), Respiratory **Target Organ Effects** 

system, Skin, Kidney, Liver.

Intentional misuse by deliberately concentrating and inhaling contents may be harmful or **Neurological effects** 

fatal.

**Aspiration hazard** Toxic if swallowed and enters airways.

## Numerical measures of toxicity - Product Information

**Unknown Acute Toxicity** 0% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

**ATEmix (oral)** 17255 ma/ka ATEmix (dermal) 2315 mg/kg ATEmix (inhalation-gas) 996173 mg/l ATEmix (inhalation-dust/mist) 6.3 mg/l ATEmix (inhalation-vapor) 55096 mg/l

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
HEXANE 110-54-3	-	2.1 - 2.98 mg/L LC50 Pimephales promelas 96h flow-through	-	-
DIMETHYL POLYSILOXANE 63148-62-9	-	-	-	>10,000mg/L EC50 Daaphina magnma 48 h

## Persistence and degradability

## **Bioaccumulation**

Chemical Name	log Pow
PROPANE/ISOBUTANE/N-BUTANE	<=2.8
68476-86-8	

Other adverse effects No information available

## 13. DISPOSAL CONSIDERATIONS

#### Waste treatment

#### F00485 - 80-696 FOOD GRADE SILICONE

Revision Date 07-Jul-2016

Waste Disposal Methods This material, as supplied, is a hazardous waste according to federal regulations (40 CFR

261). Dispose of in accordance with federal, state, and local regulations.

**Contaminated packaging** Do not re-use empty containers.

## 14. TRANSPORT INFORMATION

**DOT Ground** CONSUMER COMMODITY ORM-D

or

LIMITED QUANTITY

IATA UN1950, AEROSOLS, FLAMMABLE, 2.1,LTD.QTY.

IMDG UN1950, AEROSOLS, 2.1,LTD.QTY.

## 15. REGULATORY INFORMATION

#### **International Inventories**

Chemical Name	TSCA	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
PROPANE/ISOBUTA NE/N-BUTANE	Х	Х	Х	Not listed	Х	Х	Х	Х
HEXANE	X	Х	X	X	X	Χ	X	Х
DIMETHYL POLYSILOXANE	X	Х	Not listed	Х	X	X	X	X

## Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

CHINA - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %*	SARA 313 - Threshold Values %
HEXANE - 110-54-3	110-54-3	40-50	1.0

## SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	Yes
Sudden Release of Pressure Hazard	Yes
Reactive Hazard	no

## **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

## **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical	Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
HEXAI 110-54		5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

## U.S. State Regulations

## **California Proposition 65**

This product does not contain any known Proposition 65 chemicals.

## U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
HEXANE	X	X	X
110-54-3			

**EPA Pesticide Registration Number** Not applicable

#### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR.

#### **WHMIS Hazard Class**

A Compressed gases D2B Toxic materials B5 Flammable aerosol



## **16. OTHER INFORMATION**

NFPA Health Hazard 2 Flammability 4 Instability 0 Physical and chemical

hazards -

HMIS Health Hazard 2\* Flammability 4 Physical Hazard 1 Personal protection B

Chronic Hazard Star Legend Chronic Health Hazard Repeated or prolonged exposure may cause central nervous system damage

Prepared By American Jetway

34136 Myrtle Street Wayne, MI 48184

Tel.734-721-5930

Issuing date 07-Jul-2016
Revision Date 07-Jul-2016

**Revision Note** 

## **Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**